

# DMS Wireless

**698-780 MHz H-POL or V-POL**

## Electrical Data

Frequency:	698-780 MHz
Gain:	13 dBi
VSWR:	<1.5:1
Polarization:	Horizontal or Vertical
Horizontal Beamwidth :	38°
Vertical Beamwidth:	34°
Nominal Impedance:	75 Ohms
F/B Ratio:	>16 dB
Max Input Power:	100 W
Lightning Protection:	DC Ground



## Mechanical Data

Connector :	F Male
Dimensions:	1030mm/40.7in
Weight:	1.0kg/2.2lb
Cable Length:	360mm/14.2in
Reflector Material:	Aluminum Alloy
Antenna Material:	Mast
Mast Size:	Ø40-Ø50mm
Rated Wind Velocity:	210km/h
Operating temperature:	-40~+65°C


## Shipment Data

Packing Qty:	10pcs/Carton
Carton Size:	1050*470*315mm
(length*width*height)	/41.3*18.5*12.4in
Packing Weight:	11.6kg/25.5lb


## YA698-780-13HV-11E



H-Plane



V-Plane



Email: [sales@dmswireless.com](mailto:sales@dmswireless.com)  
[www.dmswireless.com](http://www.dmswireless.com)

Notice: Specifications are subject to change without notice.  
Images may not reflect the actual product.