

# DMS Wireless

**760-780 MHz H-POL**

## Electrical Data

Frequency:	760-780 MHz
Gain:	6 dBi
VSWR:	<2.0:1
Polarization:	Horizontal
Horizontal Beamwidth :	360°
Vertical Beamwidth:	21°
Nominal Impedance:	50 Ohms
Max Input Power:	250 W
Lightning Protection:	DC Ground


## Mechanical Data

Connector :	N Female
Dimensions:	1500*265*70mm
(length*width*height)	/59.1*10.4*2.8in
Weight:	11.3kg/24.9lb
Reflector Material:	Aluminum Alloy
Mounting Method:	Mast
Mast Size:	Ø50-Ø80mm
Rated Wind Velocity:	210km/h
Operating temperature:	-40~+65 °C


## Shipment Data

Packing Qty:	1pc/Carton
Carton Size:	1630*140*330mm
(length*width*height)	/64.2*5.5*13.0in
Packing Weight:	12.5kg/27.5lb



## OM760-780-6H



H-Plane



V-Plane



Email: [sales@dmswireless.com](mailto:sales@dmswireless.com)  
[www.dmswireless.com](http://www.dmswireless.com)

Notice: Specifications are subject to change without notice.  
Images may not reflect the actual product.